

SPECIFICATION GUIDE FOR CAR DEALERSHIPS & SHOWROOMS

PREMIUM ENTRANCE MATTING SYSTEMS

First impressions last



SPECIFYING THE MOST APPROPRIATE ENTRANCE MATTING SYSTEM



Entrance matting systems are both an aesthetic and a safety product, playing a crucial role in removing dirt and moisture from footfall traffic and wheels. This important function improves public safety in buildings by:

- › Helping to prevent slips and trips
- › Prolonging the life of surrounding floor finishes
- › Improving hygiene levels
- › Reducing cleaning requirements

THE 'TOP CLEAN®' ENTRANCE MATTING RANGE FROM GEGGUS

Entrance matting systems not only have to perform by keeping an area clean and safe, but they also have to complement the overall look and feel of an entrance area. GEGGUS TOP CLEAN® aluminium entrance mats perform all these tasks effortlessly.

They effectively capture dirt and moisture within a matwell recess to provide a safe and effective barrier, helping to reduce the risk of slips, trips, and falls - while enhancing the overall aesthetics of their surroundings. In doing this, aluminium matting systems also help keep cleaning and maintenance costs down, ensuring that reception areas and internal floors always look at their best.




WHERE ARE ENTRANCE MATTING SYSTEMS USED?

With the right specification, an effective entrance matting system can help to achieve a substantial reduction in the quantities of dirt and moisture that get into a building. Entrance mats minimise the danger of slipping on wet floors and reduce regular cleaning costs.

Entrance mats are not only used in entrances and other places of access to a building. With a wide range of mat combinations, they are also effective in other areas where particularly large quantities of dirt are to be found. This diagram illustrates how our diverse range of entrance matting systems can be put to good use in a building.



ZONE 1



Grooved Rubber

ZONE 1




Cassette Brush

ZONE 1 **ZONE 2**



Grooved Rubber and Brush Strip

ZONE 2 **ZONE 3**



Ribbed Carpet and Scraper Bar

ZONE 2 **ZONE 3**




Ribbed Carpet

ZONE 2 **ZONE 3**



Ribbed Carpet and Brush Strip

ZONE 1 **ZONE 2**



Grooved Rubber and Cassette Brush

ZONE 2 **ZONE 3**



Ribbed Carpet and Cassette Brush



GEGGUS ENTRANCE MATTING SYSTEMS KEEP ENTRANCE AREAS LOOKING PRISTINE AND PROTECT CUSTOMERS AND STAFF FROM SLIPS AND TRIPS.

Car showrooms and dealerships tend to receive medium to high daily footfalls, with regular movement of both people and vehicles.

Showrooms must create a lasting first impression with a professional, high-quality environment that reflects the value of the vehicles on display.

It is therefore important to specify a system that is designed to last, will retain an elegant appearance, offers durable performance and can be regularly driven over.

Our bespoke solutions are perfect for keeping heavily trafficked customer areas and workshops looking professional, pristine and slip- and trip-free.



GEGGUS Top Clean entrance mats come with a ten year, product, and material defect warranty, providing assurance to the longevity of our entrance matting systems.





INDOOR

FOR CAR DEALERSHIPS & SHOWROOMS TOP CLEAN STABIL XL



The Ultimate Solution: for car showrooms and workshops that experience medium to high daily footfalls and movement of vehicles, we recommend specifying our vehicle passable: Top Clean STABIL XL Ribbed Carpet for indoor use, to keep floors free from dirt, grease and moisture.

Ribbed Carpet (UV-resistant heavy duty polypropylene), available in the following colours:



Go to the product:

<https://www.geggus.com/products/entrance-mats/premium-aluprofilemats/top-clean-stabil-xl>

Indoor	Height	Traffic	Mat Laid supported	Mat Laid Self-supported	Load Per Wheel	Wheel Chair	Luggage Trolley	Shopping Trolley	Transport Trolley	Lift Truck	Car	Fork Lift Truck
■	22 mm	strong	7,000 kg	550 kg	450 kg	■	■	■	■	■	■	-
■	27 mm	strong	7,000 kg	550 kg	450 kg	■	■	■	■	■	■	-

ALL PROFILES FEATURE HIGHLY EFFECTIVE IMPACT SOUND INSULATION.

Top Clean STABIL XL with Ribbed Carpet

The ribbed carpet insert is a standard specification for an urban area, for alternative combination options please see the next page.

Item no. 13205 XLR, 13305 XLR

Thickness 2,5 mm

- For use indoors or in covered outdoor areas
- DDA Compliant
- Accessible with hand lift truck
- Recyclable
- Rust-proof

(Product properties depend on the selected combination)

OUTDOOR

FOR CAR DEALERSHIPS & SHOWROOMS TOP CLEAN STABIL XL



The Ultimate Solution: for car showrooms and workshops that experience medium to high daily footfalls and movement of vehicles, we recommend specifying our vehicle passable: Top Clean STABIL XL Grooved Rubber for outdoor use, to protect internal floors from dirt, grease and moisture.

Anti-slip Grooved Rubber (EPDM) with multidirectional grooves. Available in the following colour:



210 Black Grooved Rubber

Go to the product:

<https://www.geggus.com/products/entrance-mats/premium-aluprofilemats/top-clean-stabil-xl>

Outdoor	Height	Traffic	Mat Laid supported	Mat Laid Self-supported	Load Per Wheel	Wheel Chair	Luggage Trolley	Shopping Trolley	Transport Trolley	Lift Truck	Car	Fork Lift Truck
■	22 mm	medium	7,000 kg	550 kg	450 kg	■	■	■	■	■	■	-
■	27 mm	strong	7,000 kg	550 kg	450 kg	■	■	■	■	■	■	-

ALL PROFILES FEATURE HIGHLY EFFECTIVE IMPACT SOUND INSULATION.

Top Clean Stabil XL with Grooved Rubber

The grooved rubber insert is a standard specification for an urban area, for alternative combination options please see the next page.

Item no. 13205 XLG, 13305 XLG

Thickness 2,5 mm

- For outdoor use
- DDA Compliant
- Accessible with hand lift truck
- Recyclable
- Rust-proof

(Product properties depend on the selected combination)



INDOOR: Top Clean STABIL XL with Ribbed Carpet and Grooved Rubber

For when coarse dirt is of concern and additional stability is required for passing trolleys etc.

OUTDOOR: Top Clean STABIL XL with Cassette Brush

For the external mat in zone 1, where foot traffic is arriving from surfaces with gravel. Also perfect for zone 2 when coarse dirt removal is required.

INDOOR: Top Clean STABIL XL with Ribbed Carpet and Cassette Brush

For when moisture and grit are the main concern and there is no external mat in zone 1. Also suitable for zone 2.

OUTDOOR: Top Clean STABIL XL with Grooved Rubber and Cassette Brush

For the external mat in Zone 1 where foot traffic is arriving from hard surfaces but with an element of gravel.


NEED HELP WITH YOUR SPECIFICATION?
 Call us and let our specification consultant help.
 Free custom samples available on request.
 info@geggus.de · Tel +49 7244 7055-0

FOR SYSTEMATIC PROTECTION. ASSURED VALUE FOR MONEY.


Our 3-zone solution takes dirt collection to a new dimension. With a universal design, our entrance matting systems work seamlessly together, enabling a complete 'through solution' to be created from outside to indoors, to provide a series of individual 'clean-off' zones.

Step by Step: Our profile inlays with combinations of materials ensure that moisture and coarse dirt are reliably removed from shoe soles and not carried further indoors – before people actually enter the building and specifically in frequently used entrance areas.

We also take a systematic approach to the issue of safety. Protection against moisture and dirt, together with the anti-slip function, lead to a lasting reduction in the risk of accidents and ensure greater safety.



THREE CLEAN-OFF ZONES. COMBINED IN A SINGLE SOLUTION.



CREATE A WOW EFFECT.

WE'LL MAKE YOUR ENTRANCE AREA A MAJOR HIGHLIGHT.

GREAT

EXPERTISE

Our planning, advice and implementation are based on experience and in-depth expertise.



IMPACT SOUND

Highly effective insulation technology, one of our core benefits.



DELIVERY

We'll deliver your order quickly, in just 8 working days.



WARRANTY

You benefit from a 10-year warranty and a high degree of reliability.



SUSTAINABLE

We conserve resources in production and work climate-consciously.



AWARD-WINNING

Our products are award-winning.





CONTACT



GEGGUS[®]

GEGGUS Entrance Matting
Höhefeldstraße 56-60
76356 Weingarten (Baden)
Germany
Tel: +49 7244 7055-0
info@geggus.de
www.geggus.com